



EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/4072/161/03/21/0455

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer : **NORDWAYS**
166, avenue des Auréats – 26000 VALENCE
FRANCE

Description

PPE Type : *a safety footwear*
Product reference : **NFORZ**
Article code : **FUCHSIA, GRIS, NOIR, BLANC**
Construction and material of outsole : **INJECTION/ EVA+RUBBER SOLE**
Pictures :



NORDWAYS

NFORZ

BLANC

36 EU - 3.5 UK



EN ISO 20345:2011

SB E SRC Made in CN 12/20
NORDWAYS - 166, Ave des Auréats
26000 VALENCE (France)
www.nordways.fr



Reference standard : **EN ISO 20345 : 2011**

Classification : **II**

Size range : **36-47**

Toecap nature : **Non Metallic**

Category : **SB E SRC**

Slip resistance : **SRC**

Insert nature : **N/A**

At the date of certificate the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 01 dated from MARCH 2021

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by

Didier GUISSADO

Certification and Quality Manager

Date of first issue : 12 March 2021

End of validity date : 12 March 2026



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.



Accreditation n° 5-0594
Scope available on:
www.cofrac.fr

www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

NORDWAYS

MANUFACTURER'S TECHNICAL FILE

Reference of the product : NFORZ

Article code : FUCHSIA, GRIS, NOIR, BLANC

Technical file index : 01

Last update : MARCH 2021

IDENTIFICATION

Reference of the product : NFORZ
Article Code : FUCHSIA, GRIS, NOIR, BLANC
Basic model
Technical file index : 01
Last update : MARCH 2021

Manufacturer :

NORDWAYS
166, avenue des Auréats – 26000 VALENCE
FRANCE
tel : 04.75.61.76.09
fax :

Factory :

THE SHOE LAB COMPANY LIMITED
1/F XIU PING COMMERCIAL BLDG, 104 JERVOIS ST., SHEUNG WAN, HONG KONG
CHINA
Tel : +852 9195 8244
Fax : +852 2750 8686

FOOTWEAR DESCRIPTION

Footwear description:

The classification of this footwear is: II : All-rubber (i.e. entirely vulcanized) or all-polymeric (i.e. entirely moulded) footwear

The design of this footwear is: A : low shoe

Visual description:

General view :



Outsole view :



Reference of the mould : SL-RB

Range of sizes :

36-47

Construction and material of outsole :

INJECTION/ EVA+RUBBER SOLE

Field of use

Food industry, hospitality, healthcare - mechanical risk

Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)				
		Applicable	Covered by	
§1	Requirements defined in the Annex II §1 are applicable to all PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§1.4	Manufacturer's instructions and information is available	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input type="checkbox"/>	Marking
§2.2	PPE is designed and manufactured in a way that perspiration resulting from use is minimised. Otherwise it must be equipped with means of absorbing perspiration.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input type="checkbox"/>	Marking
§2.4	If it is known that the design performance of new PPE may be significantly affected by ageing, the month and year of manufacture and/or, if possible, the month and year of obsolescence must be indelibly and unambiguously marked on each item of PPE placed on the market and on its packaging.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§2.14	Multi-risk PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.1.1	The PPE is intended to protect against impact caused by falling or ejected objects and collisions of parts of the body with an obstacle	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.1.2.1	The PPE is intended to protect against falls due to slipping	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.2	The PPE is intended to protect against static compression of a part of the body	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.3	The PPE is intended to protect against mechanical injuries	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking

FOOTWEAR CONSTITUTION

	Ref	Material	Color
UPPER	SL-EVA	EVA	BLACK/ WHITE/ GREY/ FUSCHIA
	SL-BKL	PLASTIC ROUND BUCKLE with grey printng	BLACK/ WHITE/ GREY/ FUSCHIA
	SL-EVA	EVA(BACK STRAP)	BLACK/ WHITE/ GREY/ FUSCHIA
OUTSOLE	SL-EVA	EVA(MID SOLE)	BLACK/ WHITE/ GREY/ FUSCHIA
	SL-RB	RUBBER SOLE	LT.GREY
TOE CAP	CLOG-2/TC	NON-METAL TOECAP	WHITE (TRANSPARENT)

PROTECTION SCOPE

Basic requirements :

This product has been designed to be a safety footwear.

The technical rules are :

European Standard EN ISO 20344 : 2011 Personal protective equipment - test methods for footwear

European Standard EN ISO 20345 : 2011 : Personal protective equipement - Safety footwear

It is a category II product

Requirement of the standard EN ISO 20345 : 2011 concerning the value of the coefficient of friction of ceramic tiles floor with detergent solution and steel floor with glycerol (SRC)

Requirement of the paragraph 5.8.1. Design of the standard EN ISO 20345 : 2011 concerning cleated outsole.

At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (n° 1907/2006 and revisions)


Additional requirements :

The additional requirements are :


- Energy absorption of seat region

MARKING - PACKAGING

Information printed on the footwear :

- * Logo of the Manufacturer
- * Logo 
- * Manufacturer's type designation
- * Postal address of manufacturer
- * Footwear's reference NFORZ
- * Article code FUCHSIA, GRIS, NOIR, BLANC
- * Size
- * Year of manufacture and at least quarter
- * The number and year of the Standard used
- * The symbol(s) of the additional requirements

Marking example :



The location of marking is : printing on the back strap

Method of marking on the footwear :

printing on the back strap

Packaging :

1 pair in unit box / collective packaging 10 pairs in carton packaging

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	References	Laboratory	References
CTC	D200404660_3	CTC	D201117582_1
CTC	D200505745_2	CTC	D201220811_1
CTC	D200608098_2	CTC	D201221673_1
CTC	D200608099_2	CTC	D201221981_1
CTC	D200608881_2	CTC	D201221982_2
CTC	D201016824_1	INTERTEK	GZHT10107197

MEANS OF CONTROL

1.To control the quality of raw materials follow the methods below:

We asked our suppliers to test DMFu, PAHS tear strength, especially abrasion resistance as the requirement of EN ISO20345:2011, after all raw material can reach relevant requirement, we will accept them and use in mass production.

2. During development, we will take some samples to check the main physical properties, such as slip resistance, impact/compression resistance and so forth, in order that we can control the quality from development and will avoid some additional troubles in the following steps; if the result can meet requirement, we will process forward; otherwise we need pay more attention to development for the better shoes;

3. We control the whole procedure from cutting to package. Every step, relevant QC will check the quality, the semi-finished goods and finished shoes will be discarded if cannot reach requirement of quality. Of course we take some samples from line to test interlayer bond strength, tear resistance to confirm the mass production are under control. Finally, before shipment, the QC will perform the final inspection randomly, the shoes will be delivered in case the result is acceptable.

4.Batch test, each batch production, we shall pick up the production at workshop randomly to test slip resistance, impact resistance, compression resistance etc... as EN ISO20345:2011 requirements.

PPE subject to ageing :

Peremption period : 3 years when stored in appropriate conditions (humidity, temperature, clean , ventilated, light). Before use, the footwear shall be visually controlled, in case of deterioration the footwear must be scrapped (abrasion, cut, tear, ...).

Declaration of conformity :

Available on : www.nordways.fr